

# WRISTLET KEY FOB

2 1/2 CM X 28 CM | 1" X 11"



FEATURING FABRICS FROM  
**ROBERT KAUFMAN**

2  
green  
zebras

# FABRIC REQUIREMENTS

Project size 21/2CM X 28CM | 1" X 11"

Fabric SKU	Fabric SKU	Metric	Yardage	Inches
------------	------------	--------	---------	--------

## TO MAKE KEY FOBS




DVF1126 50 X 55CM FAT QUARTER 19" x 21"



DVF1123 50 X 55CM FAT QUARTER 19" x 21"



DVF1016 50 X 55CM FAT QUARTER 19" x 21"



11" X 1" fusible interfacing for one fob (add more to make several key fobs).




Key fob hardware pack and small pliers.

# CUTTING INSTRUCTIONS

From the 3 patterned fat quarters cut:


- 2 11 1/2" x 1 1/2" (18cm x 3 1/2cm) pieces (cut more if you want to make several fobs. 6 strips will make 3 key fobs).




# PATTERN INSTRUCTIONS

**Use a 1/4" seam allowance throughout, unless otherwise stated.**

Iron your interfacing to one fabric strip, placing in the centre so you have a 1/4" overhang of fabric.



Place your interfaced strip and another contrasting fabric strip right sides together and sew around the edge leaving one short end unsewn.



Trim excess fabric from corners to reduce bulk in the seam.

Take a turning tool or chopstick and push the sewn end through the open end to turn fabric right side out. Push out the corners.

Press and top stitch the long sides. Fold in half to match short ends together, add key fob hardware and secure in place with pliers (use fabric to protect hardware when securing).

Attach keys and enjoy!

